EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3327	370/338.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 10:35
S2	1393	S1 and (wlan or wireless adj lan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 10:36
S3	14	S2 and (access near2 point or AP or hotspot) same (registration or register) with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:17
S4	6	S3 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:09
S5	276	hotspot and "370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:09
S6	400	370/315.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:09
S7	57	S6 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:50
S8	9	S7 and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:09

EAST Search History

S9	5	S8 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:51
S10	55	S6 and access adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:51
S11	1	S6 and (access adj point with (setup or initialization or registration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:53
S12	0	S11 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:53
S13	106598	"370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:52
S14	330	S13 and (access adj point with (setup or initialization or registration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:52
S15	330	S14 and (access adj point with (setup or initialization or registration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:53
S16	210	S15 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:34

EAST Search History

S17	102	S16 and (hotspot or hot adj spot or wlan or wireless adj lan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:53
S18	20	("20020155811" | "20030032993" | "20030036374" | "20030095517" | "5933420" | "5990833" | "6122261" | "6127976" | "6615074").PN. OR ("6697013").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 12:36
S20	802	455/446.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 07:34
S21	16	S20 and (access near2 point or base near2 station or AP or BS or Node near2 B) same (setup or initialization or initialize or register or registration) same (gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 07:58
S22	15	S21 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 08:00
S23	11	S20 and (access near2 point or base near2 station or AP or BS or Node near2 B) same (setup or initialization or initialize or register or registration) with (gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 07:56
S24	715	(access near2 point or base near2 station or AP or BS or Node near2 B) with (setup or initialization or initialize or register or registration) with (gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 09:45
S25	515	S24 and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 07:59

S26	39	S25 and 370/338.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 08:00
S27	31	S26 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 09:46
S28	13	(access near2 point or base near2 station or AP or BS or Node near2 B) with (setup or initialization or initialize or register or registration) with (gateway) with discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 09:45
S29	12	S28 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:32
S30	4552	gateway adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:32
S31	24	gateway adj server same (register or registration or discover$3) with (AP or BS or access adj point or hotspot or hot adj spot or base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:33
S32	22	S31 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:57
S33	108	(register$3 and gateway and access adj point).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:46

EAST Search History

S34	29	S33 and gateway near2 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 11:46
S35	40	access adj point adj registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:50
S36	30	S35 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 12:43
S37	261	register$3 adj access adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 12:58
S38	68	S37 with (gateway adj server or server or gateway or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 12:43
S39	44	S38 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:08
S40	26	setup adj access adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:11
S41	11	S40 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:11

EAST Search History

S42	24	access adj point adj setup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:15
S43	14	S42 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:15
S44	6	access adj point adj configuration same discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:16
S45	5	S44 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:17
S46	130	access adj point adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:16
S47	5	S45 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:17
S48	78	S46 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:24
S49	28	(hot adj spot or hotspot) adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:27

EAST Search History

S50	22	S49 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:27
S51	77	(hot adj spot or hotspot) adj (registration or register$3 or configur$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:27
S52	51	S51 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:35
S53	3397	(wireless and network and (management or manag$3 or control$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:38
S54	522056	S53 and gateway server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:35
S55	22	S53 and gateway adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:35
S56	17	S55 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:39
S57	357	(wireless and (hotspot or hot adj spot or AP or access adj point) and (management or manag$3 or control$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:39

EAST Search History

S58	40	S57 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 13:39
S59	23	S58 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:35
S60	824	709/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:34
S61	67	S60 and (access adj point or hotspot or hot adj spot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:34
S62	59	S61 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 15:17
S63	129	S60 and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:50
S64	21	S62 and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 14:56
S67	38	S62 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 15:17

EAST Search History

S68	824	709/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:17
S69	3342	709/220,222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:17
S70	6	S69 and (router or access near2 point or AP or hotspot) same (registration or register) with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:22
S71	6	S70 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:22
S72	96	S69 and (router or access near2 point or AP or hotspot) same (registration or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:22
S73	78	S72 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 19:27
S74	3342	709/220,222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:06
S75	96	S74 and (router or access near2 point or AP or hotspot) same (registration or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:33

EAST Search History

S76	78	S75 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:06
S77	64	S74 and (router or access near2 point or AP or hotspot) same (setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:33
S78	333	S74 and (router or access near2 point or AP or hotspot) with (setup or initializ$3 or configur$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:34
S79	39	S74 and (router or access near2 point or AP or hotspot) with (setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:34
S80	28	S79 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 22:01
S81	14	(US-20030087629-$ or US-20030117985-$ or US-20040078598-$ or US-20030105839-$).did. or (US-7072650-$ or US-6697013-$ or US-7031266-$ or US-7143151-$ or US-6351773-$ or US-6049826-$ or US-6105100-$ or US-6850528-$ or US-6243747-$).did. or (JP-2003318921-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 21:56
S82	7	S81 and delay	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:00
S83	269	S74 and (hotspot or hot adj spot or "802.11" or wlan or w adj lan or wireless adj lan or wireless near2 local)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:46
S84	824	709/222.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:00

EAST Search History

S85	66	S83 and S84	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:01
S86	61	S74 and (hotspot or hot adj spot or "802.11" or wlan or w adj lan or wireless adj lan or wireless near2 local) with (setup or configuration or configur$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:01
S87	13	S85 and (hotspot or hot adj spot or "802.11" or wlan or w adj lan or wireless adj lan or wireless near2 local) with (setup or configuration or configur$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:44
S88	8	S87 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 22:44
S89	4	S85 and (hotspot or hot adj spot or "802.11" or wlan or w adj lan or wireless adj lan or wireless near2 local) with (initiat$3 or initializ$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:44
S90	4	S89 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 22:46
S91	799	455/446.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:46
S92	4	S74 and S91	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/08 22:46
S93	4	S92 and (@ad<"20030909" or @rlad<"20030909" or @ptad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 22:46